

Z2 DUAL MATERIAL DIAGONAL CUTTING PLIERS

- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- 20° head angle for true flush cutting
- Ergonomic handles with tether point increase overall comfort and safety



**Coming 2024 in Rawhide*

Cat. No.	Overall Length	Jaw Length	Jaw Thickness	Edge Type/Cut Capacity	Jaw Capacity	Cutting Edge Length	Handle	Product Weight
Z5426CG-06	6.0 in	0.75 in	0.4 in	KNIFE-KNIFE / AWG 8	0.75 in	0.75 in	Black	0.500 lb
Z5428CG-06	8.0 in	0.75 in	0.53 in	KNIFE-KNIFE / AWG 7	0.75 in	0.75 in	Black*	0.700 lb

SOLID JOINT

Z2 DIPPED HANDLE DIAGONAL CUTTING PLIERS

- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- 20° head angle for true flush cutting
- Professional easy clean dipped grips with handle tip ID



Cat. No.	Overall Length	Jaw Length	Jaw Thickness	Edge Type/Cut Capacity	Jaw Capacity	Cutting Edge Length	Handle	Product Weight
Z5426-06	6.0 in	0.75 in	0.4 in	KNIFE-KNIFE / AWG 8	0.75 in	0.75 in	Rawhide	0.373 lb
Z5428-06	8.0 in	0.75 in	0.53 in	KNIFE-KNIFE / AWG 7	0.75 in	0.75 in	Rawhide	

HEAVY DUTY DIPPED HANDLE DIAGONAL CUTTING PLIERS

- Designed for heavy-duty wire cutting
- Standard or flush cutting edges
- Angled head for offset cutting
- Electronically induction hardened hand-honed, long lasting cutting edges
- Manufactured from forged alloy tool steel for durability
- Dipped handle grips for easy cleaning and better control
- Polished head resists rust and corrosion



Cat. No.	Overall Length	Jaw Length	Jaw Thickness	Edge Type/Cut Capacity	Jaw Capacity	Cutting Edge Length	Handle	Product Weight
5427CVN	7.0 in	0.78 in	1.218 in	0.468 in	Std./12 AWG	0.4 in	Rawhide	0.65 lb
5428CVN	8.0 in	0.78 in	1.218 in	0.468 in	Std./22 AWG	0.4 in	Rawhide	0.74 lb
5428CN	8.0 in	0.78 in	1.218 in	0.468 in	Std./12 AWG	0.4 in	Rawhide	0.60 lb
5437CENN	7.0 in	0.78 in	1.218 in	0.468 in	Flush/22 AWG	0.4 in	Rawhide	0.635 lb
5438CENN	8.0 in	0.78 in	1.218 in	0.468 in	Flush/12 AWG	0.4 in	Rawhide	0.70 lb